



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBT200078-1
Job Sheet 188844



order 11120 21 Feb

Part No: RBT200078-1

Job Qty: 5 pcs

Part Name: Trunnion Bolt (Hex Head Cap Screw)



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 1/16/19

Job Tracking No:

Due Date: 2/20/19

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG RBT200078 Rev. 2A IPP Rev. A 18.07.10 new issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier	Sign-off
					Setup Hrs	Run Hrs		
100	Conventional Lathe - 1	5 pcs	2/20/19	2/20/19	0.25	0.42	Conventional Lathe - 1	
							Conventional Lathe - 2	
110	QC 2	5 pcs	2/20/19	2/20/19	0.00	0.00	QC 2 - 1	
							QC 2 - 12	
							QC 2 - 14	
							QC 2 - 17	
							QC 2 - 19	
							QC 2 - 2	
							QC 2 - 20	
							QC 2 - 22	
							QC 2 - 23	
							QC 2 - 25	
							QC 2 - 32	
							QC 2 - 33	
							QC 2 - 35	
							QC 2 - 38	
							QC 2 - 39	
							QC 2 - 4	
							QC 2 - 40	
							QC 2 - 44	
							QC 2 - 45	
							QC 2 - 48	
							QC 2 - 49	
							QC 2 - 50	
							QC 2 - 51	
							QC 2 - 52	
							QC 2 - 54	
							QC 2 - 56	
							QC 2 - 57	
							QC 2 - 62	
							QC 2 - 63	
							QC 2 - 8	



Container No: S147895



Part: RBT200078-1

Job No: 188844

Serial No/Batch: S147895

Revision: 2A

Inspector:

Exp Date:

Instructions:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 01/25/19

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

120	QC 8	5 pcs	2/20/19	0.00 0.00	QC 8 - 12	
					QC 8 - 14	mk 19/01/28
					QC 8 - 17	
					QC 8 - 20	
					QC 8 - 25	
					QC 8 - 3	
					QC 8 - 32	
					QC 8 - 33	
					QC 8 - 35	
					QC 8 - 38	
					QC 8 - 39	
					QC 8 - 4	
					QC 8 - 44	
					QC 8 - 45	
					QC 8 - 49	
					QC 8 - 58	
					QC 8 - 8	
					QC 8 - 9	
					QC 8 - 68	
					QC 8 - 67	
					QC 8 - 1 (A)	
130	Outsource - 12 - Black Oxide	5 pcs	2/20/19		GRO002-VC	10 CCA-0130
140	Packaging 2-1 - Receive - B4B	5 pcs	2/20/19	0.00 0.00	Packaging 2 - 1 - B4B	
					Packaging 2 - 2 - B4B	
					Packaging 2 - 3 - B4B	
					Packaging 2 - 5 - B4B	
					Packaging 2 - 4 - B4B	
					Packaging 2 - 6 - B4B	
					Packaging 2 - 7 - B4B	
					Packaging 2 - 8 - B4B	
					Packaging 2 - 9 - B4B	
					Packaging 2 - 10 - B4B	
					Packaging 2 - 11 - B4B	
					Packaging 2 - 12 - B4B	
					Packaging 2 - 13 - B4B	
					Packaging 2 - 14 - B4B	
					Packaging 2 - 15 - B4B	
					Packaging 2 - 16 - B4B	
					Packaging 2 - 17 - B4B	
					Packaging 2 - 18 - B4B	
					Packaging 2 - 19 - B4B	
					Packaging 2 - 20 - B4B	
					Packaging 2 - 21 - B4B	
					Packaging 2 - 22 - B4B	
					Packaging 2 - 23 - B4B	
					Packaging 2 - 24 - B4B	
					Packaging 2 - 25 - B4B	
					Packaging 2 - 26 - B4B	
					Packaging 2 - 27 - B4B	
					Packaging 2 - 28 - B4B	
					Packaging 2 - 29 - B4B	
					Packaging 2 - 30 - B4B	
					Packaging 2 - 31 - B4B	
					Packaging 2 - 32 - B4B	
					Packaging 2 - 33 - B4B	
					Packaging 2 - 34 - B4B	
					Packaging 2 - 35 - B4B	
					Packaging 2 - 36 - B4B	
150	QC 6	5 pcs	2/20/19	0.00 0.00	QC 6 - 38	
					QC 6 - 42	

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

				QC 6 - 9	
				QC 6 - 68	DAS FEB 0 6 2019 68
				QC 6 - 61	9-89
160	Packaging 3-1 - Stock - B4B	5 pcs	2/20/19	0.00 0.00	Packaging 3 - 1 - B4B
					Packaging 3 - 2 - B4B
					Packaging 3 - 3 - B4B
					Packaging 3 - 4 - B4B
					Packaging 3 - 5 - B4B
					Packaging 3 - 6 - B4B
					Packaging 3 - 7 - B4B
					Packaging 3 - 8 - B4B
					Packaging 3 - 9 - B4B
					Packaging 3 - 10 - B4B
					Packaging 3 - 11 - B4B
					Packaging 3 - 12 - B4B
					Packaging 3 - 13 - B4B
					Packaging 3 - 14 - B4B
					Packaging 3 - 15 - B4B
					Packaging 3 - 16 - B4B
					Packaging 3 - 17 - B4B
					Packaging 3 - 18 - B4B
					Packaging 3 - 19 - B4B
					Packaging 3 - 20 - B4B
					Packaging 3 - 21 - B4B
					Packaging 3 - 22 - B4B
					Packaging 3 - 23 - B4B
					Packaging 3 - 24 - B4B
					Packaging 3 - 25 - B4B
					Packaging 3 - 26 - B4B
					Packaging 3 - 27 - B4B
					Packaging 3 - 28 - B4B
					Packaging 3 - 29 - B4B
					Packaging 3 - 30 - B4B
					Packaging 3 - 31 - B4B
					Packaging 3 - 32 - B4B
					Packaging 3 - 33 - B4B
					Packaging 3 - 34 - B4B
					Packaging 3 - 35 - B4B
					Packaging 3 - 36 - B4B
170	QC 21 - SA	5 pcs	2/20/19	0.00 0.00	QC 21 - SA - 21
					QC 21 - SA - 70

Part Op 100 - (Manufacture as per dwg) 1-Machine as per DWG. Remove 0.300" of thread and machine end of bolt. 2-Deburr
 Descriptions: 110 - (QC2- Inspect parts off machine FAI/FAIB)
 120 - (QC8- Inspect parts - second check)
 130 - (Outside Processing - Black Oxide) -Issue P/O to GROUPE ALTECH; PO 042441 -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; Steel -Certificate of Conformity is required
 140 - (Receive & Inspect for Damage & Mat'l Certs)Receive
 150 - (QC6- All purchased or subcontracted products)
 160 - (Identify as per dwg & Stock Location: _____) (Identify as per dwg & Stock Location: _____) Bag and tag
 170 - (QC21- Final Inspection - Work Order Release)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
92865A221	Steel Hex Head Screw, Zinc-Plated, 3/8"-24 Thread Size, 2"	5 Ea (1 ea)	100-Conventional Lathe - 1	5043332

5140528 GA054

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Conventional Lathe - 1	92865A221	5	13	0

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐ ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled		FAULT CATEGORY ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

Part Specifications

Specifications could not be found.

Plex 1/16/19 11:07 AM Dart.lajeunesse.marie

Entered: _____ Date: _____




WORK ORDER NON-CONFORMANCE / ROUTE UPDATE


NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition			Completed By
					Lead hand / Supervisor
					QC / QA Coordinator
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					



ASSEMBLY VIEW





-1

BOLT

3/16 TEXT "RBT200078"



DRILL & TAP
3/8-24NF THRU



-2

BODY
HEAT TREAT 35-40 Rc

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 188844
MS
19-01-16



-3

SPREADER
HEAT TREAT 35-40 Rc

ASSY QTY	QTY	B/D	PART #	UNIT QTY	DESCRIPTION	MAT.	B/D INFORMATION OR SPECIFICATIONS
		W/D	-1	1	HEX HEAD CAP SCREW	BLACK	3/8-24 x 1-3/4
			-2	1	BODY	4140	1 x 1-1/4 x 1-3/4
			-3	1	SPREADER	4140	1 x 1-1/4 x 7/8
ASSY							

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL APPROVED
1	CHANGED BOLT PIN FROM #247, AND -3 HOLE FROM #250; ALSO CHANGED P/N FROM T200078	8/16/06	WP -
2	ADDED NEW TITLE BLOCK, BOM, & REVISIONS TABLE, AND ASSEMBLY VIEW. ALSO CHANGED MATERIAL DESCRIPTION FROM 1 in. WIDE.	3/6/08	WP RW
2A	CH'D BOM LENGTH FROM 13/16 TO 7/8 -3 PER R.W.	12/17/10	RJC RW

RED BARN MACHINE	
TITLE TRUNNION BEARING REMOVAL AND INSTALLATION WORK AID	
DWG NO. RBT200078	REV 2A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	FRACTIONS ± 1/32 ANGLES ± 5°
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 10-15-01
DRAWN BY: COLE APPROVED: D. Weil HEAT TREAT LISTED BY PART FINISH BLACK OXIDE USED ON MODEL BELL 204, 205, 206, 212	
SHEET 1	of 1



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO042442



Supplier: GRO002-VC
Group Altech
2455 Halpern
St Laurent
QC
H4S 1N9 Canada
Phone: 514-335-3666
Fax: 514-335-3868

PO No: PO042442
PO Date: 1/30/19
Due Date: 2/8/19
Purchase Order Revision:
Revision Date:
Ship-To Contact: Tsimiklis, ChrisoulaPhone:

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground
Pynt Terms: Net 60
Freight Terms:
Special Comments: *Revised*

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	185123	RBE117-12020-W20-5	Installer Assembly Outsource12 (Outside Processing - Black Oxide) -Issue P/O to GROUPE ALTECH; PO -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required	Firmed	-	2/5/19	4 pcs	0 pcs	4 pcs	\$2.25/pcs	\$9.00
2	189452	RBT18560-5	Screw -Issue P/O to Groupe Altech; PO -Black oxide finish, MIL-C-13924C Class 1 -Certificate of Conformity is required	Firmed	-	2/5/19	14 pcs	0 pcs	14 pcs	\$1.89/pcs	\$26.46



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO042442



Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
3	188844	RBT200078-1	Trunnion Bolt (Hex Head Cap Screw) (Outside Processing - Black Oxide) -Issue P/O to GROUPE ALTECH; PO -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-C-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; Steel -Certificate of Conformity is required	Firmed	-	2/8/19	5 pcs	0 pcs	5 pcs	\$0.90/pcs	\$4.50
4	187724	RBE117-12010W73-3	Base -Issue P/O to GROUPE ALTECH; PO -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-C-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required	Firmed	-	2/8/19	5 pcs	0 pcs	5 pcs	\$26.50/pcs	\$132.50

Line Item Note: ASAP

Grand Total: \$172.46



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO042442



Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)

A022 Apical Processing
A024 process certifications
A026 certification of material conformance

A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 2/4/19 9:26 AM dart.tsimiklis.chrisoula



Certificat de Conformité / Certificate of Compliance

(016409-1)

2455, Rue Halpern | Saint-Laurent | Québec | H4S 1N9
 Tel: 514-335-3666 Fax: 514-335-3868
 www.groupaltech.com

Bon de Livraison / Packing Slip

016409 - 1

Livré à / Ship to

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A1K7

CANADA

Tel.: 613-632-5200 Fax.:

Client / Customer:

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A1K7

CANADA

BUYER:

Date expédition Ship date		Créé Par Generated By	Transport / No de Compte Courier / Acc. No.	Bon de commande Client Customer Purchase Order No.				
05-Feb-2019		Aman		042442				
#Ligne Line#	No. de Série / # Pièce Part Number / Line Item Details Job # / Ref #	Description pièce(s)	CATG. U/M	Comm. /Ordered	Exp/ Shipped	Qté NC/ NC Qty	Qté Scrap/	À venir/ Back Order
1	RBE117-12020-W20-5 Rev.	RBE117-12020-W20-5 01-OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY A THIN LAYER OF OIL WIPE OFF EXCESS	OXIDE-BLACK CH	4	4	0	0	0
2	RBT18560-5 Rev.	RBT18560-5 BLACK OXIDE FINISH, MIL-C-13924C, CLASS 1	BLACK-OXIDE CH	14	14	0	0	0
3	RBT200078-1 Rev.	RBT200078-1 01-OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY A THIN LAYER OF OIL MIL-PRF-16173 GRADE 3 CLASS 1 WIPE OFF EXCESS	BLACK-OXIDE CH	5	5	0	0	0
4	RBE117-12010W73-3 Rev.	RBE117-12010W73-3 01-OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY A THIN LAYER OF OIL WIPE OFF EXCESS	OXIDE-BLACK CH	5	5	0	0	0

Notes Additionnelles / Additional Notes

Épaisseur réelle
Actual Thickness
Inspecteur Qualité
Quality Inspector
Réçu par
Received By

Nous certifions que les pièces énumérées ci-dessus ont été traitées en conformité avec votre commande et vos spécifications et rencontrent les exigences.
 Notre responsabilité financière et légale ne sera pas supérieure au montant de la facture issue.

We hereby certify that the parts listed above have been process in accordance with your purchase order and specifications and are in conformance with your requirements.
 Our financial and legal responsibility will not be higher than the amount of invoice.